

**IN THE CLAIMS:**

*Kindly rewrite Claims 1-33 as follows, in accordance with 37 C.F.R. § 1.121:*

1. (Currently Amended) An isolated L-amino acid producing bacterium belonging to the genus *Escherichia*, wherein the bacterium has been modified so that the L-amino acid production by said bacterium ~~should be~~is enhanced by ~~enhancing~~increasing the activity ~~activities of a protein as defined in the following (A) or (B), and (C) or (D) in a cell of~~  
said bacterium selected from the group consisting of:

(A) a protein ~~which comprises~~comprising the amino acid sequence ~~shown in SEQ ID NO: 3-4 in Sequence listing;~~ and

(B) a protein ~~which comprises~~comprising an amino acid sequence including deletion, substitution, insertion or addition of ~~one or several~~1 to 12 amino acids in the amino acid sequence ~~shown in SEQ ID NO: 3-4 in Sequence listing,~~ and ~~which has an activity of making bacterium having~~and wherein said protein imparts enhanced resistance to L-amino acids and/or its analogs to the bacterium;

and, in addition, increasing the activity of a protein selected from the group consisting of:

(C) a protein ~~which comprises~~comprising the amino acid sequence ~~shown in SEQ ID NO: 5-6 in Sequence listing;~~ and

(D) a protein ~~which comprises~~comprising an amino acid sequence including deletion, substitution, insertion or addition of ~~one or several~~1 to 11 amino acids in the amino acid sequence ~~shown in SEQ ID NO: 5-6 in Sequence listing,~~ and ~~which has an activity of making bacterium having~~wherein said protein imparts enhanced resistance to L-amino acids and/or its analogs to the bacterium.

2. (Currently Amended) The bacterium according to claim 1, wherein said ~~activities~~  
activity of proteins as defined as (A) or (B) and (C) or (D) are enhancedis increased by ~~transformation of~~transforming said bacterium with a DNA coding for said protein as  
defined in (A) or (B), and (C) or (D), or by alteration~~altering of a DNA sequence which~~

regulates expression ~~regulation sequence of said DNA on the chromosome of the~~  
bacterium.

3. (Original) The bacterium according to claim 2, wherein the transformation is performed with a multicopy vector.
4. (Withdrawn) A method for producing L-amino acid, which comprises cultivating the bacterium according to any of claims 1 to 3 in a culture medium and collecting from the culture medium L-amino acid to be produced and accumulated.
5. (Withdrawn) The method according to claim 4, wherein L-amino acid is L-threonine.
6. (Withdrawn) The method according to claims 5, wherein the bacterium has been modified so that the bacterium should have enhanced expression of threonine operon.
7. (Withdrawn) The method according to claim 4, wherein L-amino acid is L-valine.
8. (Withdrawn) The method according to claims 7, wherein the bacterium has been modified so that the bacterium should have enhanced expression of ilv operon.
9. (Withdrawn) The method according to claim 4, wherein L-amino acid is L-proline.
10. (Withdrawn) The method according to claims 9, wherein the bacterium has been modified so that the bacterium should have enhanced expression of genes for proline biosynthesis.

11. (Withdrawn) The method according to claim 4, wherein L-amino acid is L-leucine.
12. (Withdrawn) The method according to claims 11, wherein the bacterium has been modified so that the bacterium should have enhanced expression of leu operon.
13. (Withdrawn) The method according to claim 4, wherein L-amino acid is L-methionine.
14. (Withdrawn) The method according to claims 13, wherein the bacterium has been modified so that the bacterium should have enhanced expression of genes met regulon.
15. (Withdrawn) An L-amino acid producing bacterium belonging to the genus *Escherichia*, wherein the bacterium has been modified so that the L-amino acid production by said bacterium should be enhanced by enhancing activities of proteins as defined in the following (E) or (F) in a cell of said bacterium: (E) a protein which comprises the amino acid sequence shown in SEQ ID NO:11 in Sequence listing; (F) a protein which comprises an amino acid sequence including deletion, substitution, insertion or addition of one or several amino acids in the amino acid sequence shown in SEQ ID NO:11 in Sequence listing, and which has an activity of making bacterium having enhanced resistance to L-amino acids and/or its analogs;
16. (Withdrawn) The bacterium according to the claim 15, wherein said activities of proteins as defined as (E) or (F) are enhanced by transformation of said bacterium with DNA coding for protein as defined in (E) or (F), or by alteration of expression regulation sequence of said DNA on the chromosome of the bacterium.

17. (Withdrawn) The bacterium according to the claim 16, wherein the transformation is performed with a multicopy vector.

18. (Withdrawn) A method for producing L-amino acid, which comprises cultivating the bacterium according to any of claims 15 to 17 in a culture medium and collecting from the culture medium L-amino acid to be produced and accumulated.

19. (Withdrawn) The method according to claim 18, wherein L-amino acid is L-threonine.

20. (Withdrawn) The method according to claim 19, wherein the bacterium has been modified so that the bacterium should have enhanced expression of threonine operon.

21. (Withdrawn) The method according to claim 18, wherein L-amino acid is L-valine.

22. (Withdrawn) The method according to claim 21, wherein the bacterium has been modified so that the bacterium should have enhanced expression of ilv operon.

23. (Withdrawn) An L-amino acid producing bacterium belonging to the genus Escherichia, wherein the bacterium has been modified so that the L-amino acid production by said bacterium should be enhanced by enhancing activities of proteins as defined in the following (G) or (H) in a cell of said bacterium: (G) a protein which comprises the amino acid sequence shown in SEQ ID NO:15 in Sequence listing; (H) a protein which comprises an amino acid sequence including deletion, substitution, insertion or addition of one or several amino acids in the amino acid sequence shown in

SEQ ID NO:15 in Sequence listing, and which has an activity of making bacterium having enhanced resistance to L-amino acids and/or its analogs, such as DL-o-methylserine, 6-diazo-5-oxo-L-norleucine and DL-.beta.-hydroxy-norvaline, and having enhanced sensitivity to S-(2-aminoethyl)cysteine

24. (Withdrawn) The bacterium according to the claim 23, wherein said activities of proteins as defined as (G) or (H) are enhanced by transformation of said bacterium with DNA coding for protein as defined in (G) or (H), or by alteration of expression regulation sequence of said DNA on the chromosome of the bacterium.

25. (Withdrawn) The bacterium according to the claim 24, wherein the transformation is performed with a multicopy vector.

26. (Withdrawn) A method for producing L-amino acid, which comprises cultivating the bacterium according to any of claims 23 to 25 in a culture medium and collecting from the culture medium L-amino acid to be produced and accumulated.

27. (Withdrawn) The method according to claim 26, wherein L-amino acid is L-arginine.

28. (Withdrawn) The method according to claims 27, wherein the bacterium has been modified so that the bacterium should have enhanced expression of arginine regulon.

29. (Withdrawn) The method according to claim 26, wherein L-amino acid is L-proline.

30. (Withdrawn) The method according to claims 29, wherein the bacterium has been

modified so that the bacterium should have enhanced expression of genes for proline biosynthesis.

31. (New) The bacterium according to claim 1, wherein the number of deletion, substitution, insertion or addition of amino acids in the amino acid sequences in SEQ ID NOS: 4 and 6 is 1-5.

32. (New) The bacterium according to claim 31, wherein the proteins (A) and (C) are encoded by the following polynucleotides, respectively:

- (a) a polynucleotide which has the nucleotide sequence of SEQ ID NO: 3,
- (c) a polynucleotide which has the nucleotide sequence of SEQ ID NO: 5.

33. (New) The bacterium according to claim 32, wherein the proteins (B) and (D) are encoded by the following polynucleotide, respectively:

- (b) a polynucleotide which hybridizes with the sequence complementary to the nucleotide sequence of SEQ ID NO: 3 under conditions comprising washing in 1 x SSC and 0.1% SDS at 60°C, and
- (d) a polynucleotide which hybridizes with the sequence complementary to the nucleotide sequence of SEQ ID NO: 5 under conditions comprising washing in 1 x SSC and 0.1% SDS at 60°C.